

ECOUPP

MODERN UNIQUE PRODUCTS

2025

Why **ECOUPP**









As a mature brand with years of deep involvement in the sound - absorbing field, we have an excellent reputation and profound heritage, winning wide market recognition. We possess a stable and highly efficient modern production line, strictly following international standards to control the production processes and ensuring reliable product quality.








Service

In the tide of global trade, we actively explore both domestic and foreign markets, and our products are sold far to many countries. With high – quality products and attentive services, we have gained the trust and praise of numerous customers.














Products Features





Products introduction


Carbon Crystal Board, an innovative interior decoration material, has surged rapidlyin the architectura decoration sector in recent years. Leveraging advanced carboncrystal technology, it is composed of carbon elements and polymer materials through-high-temperature and high-pressure processes boasting exceptional stability andunique physica properties, Not only aesthetically pleasing, but also environmentallyfriendly and healthy, Carbon Crysta Board has emerged as the optimal choice formodern home and commercial space decoration.

名 称 Name	防撞板	Crash Proof Board
适用场所 Application	室内墙面与天花吊顶	Interior Wall decoration
产品材质 Material	60%钙粉+30%PVC+10%添加剂	SG-8 PVC 30% + CALCIUM POWDER(CaCO3) 64% +STABILIZER 3% + CARBON BLACK POWDER 1% +90 PE WAX2%
厚 度 Thickness	8mm	8mm
产品密度 Density	1.0-1.2kg/m³	1.0-1.2kg/m³
产品规格 Dimension	1220*2440(mm) 1220*2800(mm) 1220*2900(mm) 1220*3000(mm) 1220*定制长度(mm)	1220*2440(mm) 1220*2800(mm) 1220*2900(mm) 1220*3000(mm) 1220*Custom length(mm)
环保级别 Environmental protection grade	法国A+ VOC ≤1g/m² A+	CE / FRENCH A+
防火级别 Fire rating	国标B1极阻燃材料	B1






Product features








Products introduction

The upgraded version of the carbon crystal board—the anti-collision board, whichemploys PVC material and features a 1.2mm thick co-extruded SPc (Stone PlasticComposite) surface, not only inherits the superior performance of the carbon crystalboard but also enhances the overall strength and impact resistance of the board.Widelyadopted in hospitals, schools, kindergartens, malls, hotels, exhibition halls, airportssubway stations, and other public areas.

名 称 Name	防撞板	Crash Proof Board
适用场所 Application	室内墙面与天花吊顶	Interior Wall decoration
产品材质 Material	60%钙粉+30%PVC+10%添加剂	SG-8 PVC 30% + CALCIUM POWDER(CaCO3) 64% +STABILIZER 3% + CARBON BLACK POWDER 1% +90 PE WAX2%
厚 度 Thickness	8mm	8mm
产品密度 Density	1.0-1.2kg/m³	1.0-1.2kg/m³
产品规格 Dimension	1220*2440(mm) 1220*2800(mm) 1220*2900(mm) 1220*3000(mm) 1220*定制长度(mm)	1220*2440(mm) 1220*2800(mm) 1220*2900(mm) 1220*3000(mm) 1220*Custom length(mm)
环保级别 Environmental protection grade	法国A+ VOC ≤1g/m² A+	CE / FRENCH A+
防火级别 Fire rating	国标B1极阻燃材料	B1







Products introduction

1. Product Overview

Magnesium oxide board, commonly known as MgO board, is a composite panelmade from a ternary system consisting of magnesium oxide, magnesium chloride, andwater, with the addition of modifiers. It has been widely used in construction and interiordecoration due to its outstanding fire resistance, water-proofing, and anti-corrosion properties.

The primary components of magnesium oxide board include high-purity and highlyreactive magnesium oxide (MgO), high-quality magnesium chloride (MgCl2), alkali-re-sistant fiberglass cloth, plant fibers, lightweight and non-flammable perlite, chemicallystable lithopone, high-molecular-weight polymers, and high-performance modifiers. These components, processed through specialized techniques, confer unique physical and chemical properties to the magnesium oxide board.

Product features




Exceptional Fire Resistance:

The magnesium oxide board achieves the highest fire resistance rating of A1, and whencombined with a partition system made of high-quality keels, it can withstand fire forover 3 hours.

名 称 Name	玻镁板	Crash Proof Board
适用场所 Application	室内墙面与天花吊顶	Interior Wall decoration
产品材质 Material	玻镁板的主要成分包括活性高纯氧化镁 (MgO)、优质氟化镁(MgCl2)、抗碱 玻纤布、植物纤维、不燃质轻的珍珠岩、 化学稳定立德粉、高分子聚合物以及高性 能改性剂。	magnesium oxide (MgO)+magnesium chloride (MgCI2)+alkali-resistant fiberglass cloth + plant fibers + lightweight and non-flammable perlite + chemically stable lithopone + high-molecu- lar-weight polymers + high-performance modifiers
厚 度 Thickness	6mm	6mm
产品密度 Density	1.0kg/m³	1.0kg/m³
产品规格 Dimension	1220*2440(mm) 1220*2700(mm) 1220*3000(mm)	1220*2440(mm) 1220*2700(mm) 1220*3000(mm)
环保级别 Environmental protection grade	ENF	ENF
防火级别 Fire rating	A1级 防火材料	CLASS A











Products introduction

The application of SPc Wallboard (Stone Plastic Composite Wallboard) in bathroomsholds significant advantages, primarily manifested in the following aspects:SPC Wallboard is integrally formed through high temperature and high pressureusing natural stone powder and polymer materials, without the use of any glue duringthe production process. As a result, it possesses exceptional waterproofing andmoisture-proof properties. This characteristic makes SPC Wallboard ideally suited forhigh-humidity environments such as bathrooms, effectively preventing water penetra-tion and wall dampness, thereby protecting the wall structure and extending its servicelife.

名 称 Name	SPC石晶墙板	SPC WALL PANEL
适用场所 Application	室内墙面,特别适合卫生间, 厨房等潮湿区域	Interior Wall decoration, Bathroom, Kitchen
产品材质 Material	50%钙粉+40%PVC+10%添加剂	SG-8 PVC 40% + CALCIUM POWDER(CaCO3) 50% + STABILIZER10%
厚 度 Thickness	2mm/3mm/4mm/5mm	2mm/3mm/4mm/5mm
产品密度 Density	2.0kg/m³	2.0kg/m³
产品规格 Dimension	1220*2440(mm) 1220*2800(mm) 1220*2900(mm)	1220*2440(mm) 1220*2800(mm) 1220*2900(mm)
环保级别 Environmental protection grade	法国A+ VOC ≤1g/m²	CE / FRENCH A+
防火级别 Fire rating	国标B1极阻燃材料	В1







he wpc fluted wal panel utlizes eco-friendly pvc material,which is non-toxic and odorles, compy-ing with interational environmental standards, This material exhibits excelent

weather resistance, corosion resistance, and aging resistance,maintaining stable physical and chemical properties even in harsh environments. Aditionaly, itis fire-retardant and eas)







149 Fluted 细格栅 SIZE:149*14*3000mm





170*24Fluted 格栅 SIZE:170*24*3000mm





159*10Fluted 小长城 SIZE:159*10*3000mm





203 Nine circles 九圆板 SIZE:203*12*3000mm






160*20Fluted格栅 SIZE:160*20*3000mm





217 solid wave 实心波浪板 SIZE:217*10*3000mm





207Fluted 三凹板 SIZE:207*10*3000mm



360 inner circles 内弧板 SIZE:360*8*3000mm





Double side spin fluted 旋转格栅 SIZE:58.2*24*3000mm



WPC FLUTED WALL PANEL































SIZE:204*12*3000mm






30 single inner circle 130年凹板 SIZE:130*12*3000mm






102 small fluted 细格栅 SIZE:102*13*3000mm


































PROFILE ALUMINIUM




Product name: 8% Earth Letter 06


Product number: Z8604-01

Packing specification: 100 (10 pcs/sachet)

Product colour: Matte Black, Matt Gold, Rose Gold








Product name: 8mm Invisible Clay Letter 08

Product number: Z88122-02

Packing specification: 100 (10 pcs/sachet)

Product colour: Silver White








Product name: 8mm Invisible Clay Letter 08
Product number: \$8611-01

Packing specification: 100 (10 pcs/sachet)

Product colour : Matte Black, Matte Gold, Rose Gold, Silver White,Noble Grey,Sand White







Product name : 8mm Lamp Strip I.D. Letter 06

Product number: Z8610-D07


Packing specification: 50 (10 pcs/sachet)

Product colour : Matte Black, Matte Gold, Rose Gold,

Silver White, Noble Grey, Sand White







Product name: 8mm Sharp Sun Angle 06


Product number: Y8616-01


Packing specification: 50 (10 pcs/sachet)


Product colour: Matte Black, Matte Gold, Rose Gold,

Silver White, Sand White











Product name : 8mm I-beam 06 Product number : Z8605-02


Packing specification: 100(10pcs/sachet)

Product colour: Matte Black, Matte Gold, Rose Gold, Silver White,

Aristocratic Grey, Sanded White









Product name: 8mm opening deep I-beam 06

Product number: Z8608-05

Packing specification: 100(10pcs/sachet)

Product colour: Matte Black, Matte Gold, Rose Gold, Silver White, Sanded White








Product name : 4/6/8 Triangle A Hooks Product number : T06124-80 Packing specification : 80pcs/pcs

 $Product\ colour: Skin\ Black, High\ Gloss\ White, Moonlight\ Grey, Mocha\ Grey, Red\ Iron\ Grey,$

Ink Shadow Grey, Starry Sky Grey, Ceramic Grey, Space Grey








Product name : 4/6/8 Wall Panel Inset Product number : T0675-60 Packing specification : 50pcs/pcs

Product colour: Sanded Black, Frosted Matte Gold, Frosted Rose Gold, Sand White








Product name : 8mm Large Waistline 06

Product number: T0675-60

Packing specification: 50(2pcs/sachet)

Product colour: Matte black, Frosted matte gold, Frosted rose gold







Product name: 8mm W Shaded Corner-06


Product number: J8613-01


Packing specification: 100(10pcs/sachet)

Product colour: Matte Black, Matte Gold, Rose Gold, Silver White, Sanded White



ALUMINIUM PROFILE







Product name: 8mm Square Positive Corner-06

Product number: Y8618-03

Packing specification: 50 (10pcs/sachet)

Product colour: Matte Black, Matte Gold, Rose Gold








Product name: 2/3/5cm Inset
Product number: T0686-20
Packing specification: 120pcs/pc

Product colour: Skin Black, High-gloss White, Starlight Grey




luxry marble 奢石系列





Connecting marble grain 奢石连纹系列





Italian Transparent Wood Series 意式半透系列






Fabric Series 十字布基系列





Stain Resistance Pure Color 肤感耐污系列





Emissions in indoor air A+ Wall Panels Baby and pregnant women are at ease to live.





Installtion Steps

1. Tools and Materials

Drilling machine/impact drill
Spirit level
Screwdriver
Electric drill
Tape measure/ruler
Scraper knife
Adhesive
Rubber mallet/wooden hammer
Joists/angle iron
Screws,wall expansion bolts
Trim/molding
Slotting machine




2.Installtion Steps





1. Clean the Base Surface Treatment

2. Padding and Making level



5. apply adhesive with a glue gun on the back of thepanelor on the wall in point glue in 20cm each one,double tape on the edge of the panel




3. measure the height of the wall

4, cut the wall panelwith a circular saw



6. For the inner and outside corner use the grooving-machine with Vshape or circle shape knife head.





7、fix the metal trim(S8611-01)to the starting position with a nail gun





08.install the first wall panel
09.connecting with the metaltrim
10.Repeat the installation process with
the next wall panel
11.connecting with slotting(u shape,-

Il.connecting with slotting (u shape; male and female shape) to make seamless flat joint

12.install fluted wall panels with steelbuckle clip

13.measure the remaining wall size , cut the wall panel with the electric circular saw, and use the metal trim(\$8611-01 jtobinding of the last panel

14.For the inner and outside corner, use the grooving machine or install the metaltrim(Y8618-03)

15.To make a inner or outer arch shape, using the electric cuting saw ,cut in 1cm interval for the arch area 16.repeat the installation process with the next wall panels, continue along the wall until you have completed

